Influence of Velocity Shear on the Rayleigh-Taylor Instability

P. N. GUZDAR

Science Applications, Inc. McLean, Virginia 22102

P. SATYANARAYANA

Berkeley Scholars, Inc. Springfield, Virginia 22150

J. D. HUBA AND S. L. OSSAKOW

Geophysical and Plasma Dynamics Branch
Plasma Physics Division

December 16, 1981

This research was sponsored partially by the Defense Nuclear Agency under Subtask S99QAXHC, work unit 00032, and work unit title, "Plasma Structure Evolution," and partially by the Office of Naval Research.



NAVAL RESEARCH LABORATCRY Washington, D.C.



81 12 23 Approved for Aublic release; distribution realimited.

TE PILE COP

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

REPORT DOCUMENTATION PAGE	BEFORE COMPLETING FORM
I. REPORT NUMBER	. 3. RECIPIENT'S CATALOG NUMBER
NRL Memorandum Report 4701	8c/cl
4. TITLE (and Subtitio) INVESTIBATION OF MET OUTTY OUT AD ON THE	5. TYPE OF REPORT & PERIOD COVERED
INFLUENCE OF VELOCITY SHEAR ON THE RAYLEIGH-TAYLOR INSTABILITY	Interim report on a continuing NRL problem.
RAILEIGH-IAILOR INSIABILIII	6. PERFORMING ORG. REPORT NUMBER
	THE SHALL SHOW HE SHOW HOW BER
7. AUTHOR(a)	B. CONTRACT OR GRANT NUMBER(s)
P.N. Guzdar*, P. Satyanarayana†, J.D. Huba, and	
S.L. Ossakow	1
9. PERFORMING ORGANIZATION NAME AND ADDRESS	10. PROGRAM ELEMENT, PROJECT, TASK
aval Research Laboratory 61153N; RR0330244; 47	
Washington, DC 20375	02 & 62715H; 47-0889-02
11. CONTROLLING OFFICE NAME AND ADDRESS	December 16, 1981
Defense Nuclear Agency Office of Naval Research Weshington, MC 20205	13. NUMBER OF PAGES
Washington, DC 20305 Arlington, VA 22217	27
14. MONITORING AGENCY NAME & ADDRESS(II dillerent from Controlling Office)	15. SECURITY CLASS. (or this report)
	UNCLASSIFIED
	154. DECLASSIFICATION/DOWNGRADING
17. DISTRIBUTION STATEMENT (of the ebetract entered in Block 20, if different free	m Report)
 SUPPLEMENTARY NOTES This research was sponsored partially by the Defense Nuc 	Jan A
S99QAXHC, work unit 00082, and work unit title, "Plas	ma Structure Fuchtion V and
partially by the Office of Naval Research.	ma Saucture Evolution, and
	(Continues)
Velocity shear Prompt barium clo	and shelding
Velocity shear Prompt barium clo Rayleigh-Taylor instability	ud stristions
Long wavelength selectivity	
Bottomside equatorial spread F	
·	
ASSTRACT (Continue on reverse side it necressry and identify by black number) The influence of a transverse valority sheet on the P	evlaigh Taulan in the 1914
The influence of a transverse velocity shear on the R investigated. It is found that a sheared velocity flow can s	ayleign-Taylor instability is
rate of the Rayleigh-Taylor instability in the short wavele	most regime (i.e. bl. > 1 mb-
L is the scale length of the density inhomogeneity), and c	allege the growth mate to mere
and come torige, or are sensity mittoring cherry), and C	enses mic Riowni Line to Will-

DD 1 JAN 73 1473 EDITION OF 1 NOV 48 IS OBSOLETE S/N 0102-014-4601

SECURITY CLASSIFICATION OF THIS PAGE (When Date Entered)

(Continues)

i

mize at kL < 1.0. Applications of this result to ionospheric phenomena [equatorial spread F (ESF) and ionospheric plasma clouds] are discussed. In particular, the effect

•

SECURITY CLASSIFICATION OF THIS PAGE (When Dote Entered) 18. Supplementary Notes (Continued) *Present address: Science Applications, Inc., McLean, VA 22102; permanent address: University of Maryland, College Park, MD 20742. †Present address: Berkeley Scholars, Inc., Springfield, VA 22150. 20. Abstract (Continued) of shear could account for, at times, the 100's of km modulation observed on the bottomside of the ESF ionosphere and the km scale size wavelengths observed in barium cloud prompt striation phenomena.

CONTENTS

I.	INTROD	UCTION	1
II.	THEORY	, , , , , , , , , , , , , , , , , , , ,	2
III.	RESULT	s	4
	A. B.	Rayleigh-Taylor Instability Kelvin-Helmholtz Instability Generalized Rayleigh-Taylor Instability	4
	C.	Generalized Rayleigh-Taylor Instability	5
IV.	DISCUSS	ION	8
ACK	NOWLED	GMENTS	11
REF	ERENCES	3	12

Argustion F. T.

The Argustic of the Control of the

INFLUENCE OF VELOCITY SHEAR ON THE RAYLEIGH-TAYLOR INSTABILITY I. Introduction

An important instability in a variety of geophysical phenomena is the Rayleigh-Taylor instability. The instability is an interchange instability and is driven primarily by an opposing density gradient and gravitational force (e.g., a heavy fluid supported by a light fluid). In a magnetized plasma, the mode exists in both the collisionless and collisional regimes. However, in many regions of interest, such as the ionosphere, the plasma can also contain inhomogeneous velocity flows transverse to the magnetic field. In fact, in the absence of other effects (such as gravity, density gradients and collisions), this sheared flow can give rise to a transverse Kelvin-Helmholtz instability (Mikhailovskii, 1974). The purpose of this letter is to investigate the influence of velocity shear on the Rayleigh-Taylor instability (Drazin, 1958; Chandresekhar, 1961).

We find that velocity shear can have a dramatic effect on the Rayleigh-Taylor instability. Namely, for a sufficiently strong velocity shear, the growth rates of the most unstable modes (i.e., those such that kI. > 1 where L is the scale length of the inhomogeneity) are substantially reduced; leading to maximum growth in the regime kL < 1. Thus, velocity shear has the effect of preferentially exciting a long wavelength mode of the Rayleigh-Taylor instability which is in sharp contrast to the behavior of the mode in the absence of velocity shear. This result may explain the long wavelength oscilllations (i.e., several hundred kms) of the bottomside F layer during equatorial spread F (Tsunoda, 1981a; Tsunoda and White, 1981; Kelley et al., 1981) and the early time structuring of injected barium clouds in the ionosphere (Simons et al., 1980; Wescott et al., 1980).

The scheme of this letter is as follows. In the next section we present the basic equation which describes the influence of velocity shear on the Rayleigh-Taylor instability. In Section III, the various instabilities are discussed (i.e., Rayleigh-Taylor, Kelvin-Helmholtz and the generalized Rayleigh-Taylor). Finally, in the last section, we discuss the application of our results to ionospheric phenomena, i.e., equatorial spread F and plasma cloud striations.

Manuscript submitted October 28, 1981.

1

II. Theory

The geometry of the plasma and field configuration used in the analysis are as follows. We consider $\frac{B}{A} = B_0 \cdot \frac{1}{2}$, $\frac{B}{A} = \frac{B}{A} \cdot \frac{B}{A} = \frac{B}{A} \cdot \frac{B}{A} = \frac{B}{A} \cdot \frac{B}{A} = \frac{B}{A} \cdot \frac{B}{A}$

The basic assumptions used in the analysis are as follows. We assume perturbed quantities vary as $\delta p \sim \delta p(\mathbf{x}) \exp(iky-i\omega t)$ with $\omega << \Omega_{1}$ and $kr_{Li} << 1$ where Ω_{1} is the ion gyrofrequency and r_{Li} is the mean ion Larmor radius. We neglect perturbations along the magnetic field $(k_{\parallel}=0)$ so that only two dimensional mode structure in the xy , are is obtained. We assume $\nu_{in} << \Omega_{i}$ which is consistent with ionospheric F region conditions. Ion inertial effects are retained in the analysis, but electron inertial effects are neglected. We assume quasi-neutrality so that $n_{a} \simeq n_{i} = n$.

A key feature of our analysis is that a nonlocal theory is developed. That is, the mode structure of the potential in the x-direction is determined by a differential equation rather than an algebraic equation obtained by Fourier analysis. This technique allows one to study modes which have wavelengths larger than the scale size of the inhomogeneities (i.e., kL < 1 where L represents the scale length of the boundary layer). In fact, this is crucial to describing the Kelvin-Helmholtz instability produced by a transverse velocity shear (Mikhailovskii, 1974).

Based upon the assumptions discussed above, the fundamental equations used in the analysis are

$$\frac{\partial \mathbf{n}_{\alpha}}{\partial t} + \nabla \cdot (\mathbf{n}_{\alpha} \nabla) = 0 \tag{1}$$

$$0 = E + \frac{V_e \times B}{C} \tag{2}$$

$$m_{i}(\partial/\partial t + \underline{v}_{i} \cdot \nabla)\underline{v}_{i} = e\underline{E} + \frac{e\underline{v}_{i} \times \underline{B}}{c} - m_{i}v_{i}\underline{v}_{i} + m_{i}\underline{g} \quad (3)$$

where α denotes species (e,i: electron, ion). We substitute $E = -\nabla \phi$,

 $\underline{\mathbf{v}} = \underline{\mathbf{v}}_{\mathbf{o}}(\mathbf{x}) + \delta \underline{\mathbf{v}}$ and $\mathbf{n} = \mathbf{n}_{\mathbf{o}}(\mathbf{x}) + \delta \mathbf{n}$ into Eqs. (1)-(3). Here, ϕ is the perturbed potential. We find the perturbed velocities to be

$$\delta \underline{v}_{e} = (c/B) \left[-ik\phi \ \hat{e}_{x} + (\partial \phi/\partial x) \ \hat{e}_{y}\right]$$
 (4)

and

$$\frac{\delta \underline{\mathbf{v}}_{i}}{\mathbf{v}_{i}} = (c/B) \left[-i\left(1 + \frac{1}{\Omega} \frac{\partial \mathbf{v}_{o}}{\partial \mathbf{x}}\right)^{-1} \mathbf{k}\phi + \frac{\hat{\omega} + i\mathbf{v}_{in}}{\Omega} \frac{\partial \phi}{\partial \mathbf{x}} \right] \hat{\mathbf{e}}_{\mathbf{x}} + (c/B) \left[\frac{\partial \phi}{\partial \mathbf{x}} - \frac{\hat{\omega} + i\mathbf{v}_{in}}{\Omega} \mathbf{k}\phi \right] \hat{\mathbf{e}}_{\mathbf{y}} \tag{5}$$

where $\Omega = \Omega_{i} = eB/m_{i}c$ and $\hat{\omega} = \omega - kV_{o}$. Substituting Eqs. (4) and (5) into Eq. (1), we arrive at the following equation

$$\frac{\partial^2 \phi}{\partial x^2} + p \frac{\partial \phi}{\partial x} + q \phi = 0 \tag{6}$$

where

$$q = -k^{2} + \frac{kV_{o}}{\widehat{\omega} + iv_{in}} \left[\frac{1}{v_{o}} \frac{\partial^{2}v_{o}}{\partial x^{2}} + \frac{gk}{\widehat{\omega}v_{o}} \frac{\partial \ln v_{o}}{\partial x} + \frac{\partial \ln v_{o}}{\partial x} \frac{\partial \ln v_{o}}{\partial x} \right]$$

$$- \frac{iv_{in}}{\widehat{\omega}} \left(\frac{1}{v_{o}} \frac{\partial^{2}v_{o}}{\partial x^{2}} + \frac{\omega}{\widehat{\omega}} \frac{\partial \ln v_{o}}{\partial x} \frac{\partial \ln v_{o}}{\partial x} + \frac{\partial \ln v_{o}}{\partial x} \right)$$

$$(8)$$

In obtaining Eq. (6) we have made use of the quasi-neutrality condition, assumed $\partial V_0/\partial x << \Omega_1$ and have retained ion inertial terms to order v_{in}/Ω_1 .

III. Results

To highlight the influence of velocity shear on the Rayleigh-Taylor instability we first consider two limiting cases: (1) the Rayleigh-Taylor instability with no velocity shear and (2) the Kelvin-Helmholtz instability with no collisions, gravity or density gradient. Following this we discuss a general solution of Eq. (6).

A. Rayleigh-Taylor instability

We take $V_0 = 0$ so that Eq. (6) becomes

$$\frac{\partial^2 \phi}{\partial x^2} + \frac{\partial \ln n_o}{\partial x} \frac{\partial \phi}{\partial x} - k^2 \left[1 - \frac{g}{\omega + i v_{in}} \frac{1}{\omega} \frac{\partial \ln n_o}{\partial x} \right] \phi = 0 \quad (9)$$

Equation (9) can be easily solved in the local approximation (i.e., $k^2L^2 >> k_x^2L^2 >> 1$ where $L = (\partial \ln n_o/\partial x)_{x=x}^{-1}$ we have assumed $\phi(x) = \exp(ik_x x)$. We obtain the dispersion equation

$$\omega^2 + iv_{in}\omega - g/L = 0 \tag{10}$$

which has the solution (Hudson and Kennel, 1975; Haerendel, 1974)

$$\omega = -\frac{iv_{in}}{2} \left[1 \pm \left(1 - 4g/Lv_{in}^2\right)^{1/2}\right]$$
 (11)

Instability can occur when g/L < 0 (i.e., g and L are oppositely directed). The collisionless and collisional solutions are

$$\omega = \pm (g/L)^{1/2}$$
 $v_{in} \ll (4g/L)^{1/2}$ (12)

$$\omega = -i (g/L) v_{in}^{-1} \qquad v_{in} >> (4g/L)^{1/2}$$
 (13)

We now solve Eq. (9) numerically for a density profile $n = n \exp(-x^2/2L^2) + \Delta n.$ The results are shown in Fig. 1 (curve A) which is a plot of $\gamma/(g/L)^{1/2}$ vs. kL for $\Delta n/n = 0.01$ and $v_{in}/(g/L)^{1/2} \approx 0.5$. As expected, the growth rate maximizes in the regime kL >> 1. However, note that the maximum growth rate $(\gamma/(g/L)^{1/2} \approx 1.1)$ is slightly larger than that predicted from local

theory $(\gamma/(g/L)^{1/2} = 1.0$ from Eq. (11)). This is due to the Gaussian-like density profile chosen for the numerical example.

B. Kelvin-Helmholtz instability

We assume $V_0(x) \neq 0$ but take $v_{in} = 0$, g = 0 and $v_{in} = 0$ const. Equation (6) becomes

$$\frac{\partial^2 \phi}{\partial x^2} - \left[k^2 - \frac{k \partial^2 V_0 / \partial x^2}{\omega - k V_0} \right] \phi = 0 \tag{14}$$

which is well-known (Mikhailovskii, 1974). Note that in the local approximation

$$\omega = kV_0 + k^{-1} (\partial^2 V_0 / \partial x^2)_{x=x_0}$$
 (15)

so that the mode is stable. In general, an instability can occur only when $(\partial^2 V_0/\partial x^2)_{x=x} = 0$ where $x_1 < x_0 < x_2$, and x_1 and x_2 are the boundaries (Rayleigh's the .em). As an example, we assume an equilibrium velocity profile $\underline{V}_0 = V_0$ tanh(x/L) \hat{e}_y . The solution to Eq. (14) is shown in curve B of Fig 1 where $\gamma/(V_0/L)$ vs. kL is plotted. The instability is purely growing (i.e., $\omega_r = 0$) and only occurs in the regime 0 < kL < 1. Maximum growth occurs at kL = 0.5 with $\gamma = 0.18$ (V_0/L) (Michalke, 1964).

C. Generalized Rayleigh-Taylor instability

We now consider the general case where both the standard Rayleigh-Taylor and the Kelvin-Helmholtz instablities coexist (Drazin, 1958). Since the wavelength regimes of these two instabilities are distinct from one another (i.e., Rayleigh-Taylor favors kL > 1 while Kelvin-Helmholtz favors kL < 1), one might think that these "modes" do not affect one another in the linear regime. However, this is not the case as is shown by curve C of Fig. 1. Here, we solve Eq. (6) for the following profiles: $n = n_0 \exp{(-x^2/2L^2)} + \Delta n$ and $\frac{V_0}{1/2} = V_0 \tanh{(x-x_0)/L} = \frac{1}{2} v_0 \sinh{(x-x_0)/L} = \frac{1}{2} v_0 \sinh{(x-x_0)/L$

localization region of the Rayleigh-Taylor instability. As in curve A, we plot $\gamma/(g/L)^{1/2}$ vs. kL and it is found that the growth rate maximizes at $\gamma = 0.4$ $(g/L)^{1/2}$ for kL = 0.7 over the range considered (0 < kL < 10). The most dramatic feature of including velocity shear in the analysis is the strong reduction in the growth rate of modes in the short wavelength regime (i.e., kL > 1). Thus, the main influence of velocity shear on the Rayleigh-Taylor instability is to suppress the most unstable waves, those with kL > 1, and to maximize growth in the long wavelength regime (kL < 1).

This effect of velocity shear on the Rayleigh-Taylor instability can be easily seen from local theory. For simplicity, we consider Eq. (6) in the limit $k^2L^2 >> k_x^2L^2 >> 1$ and $v_{in} = 0$. The dispersion equation becomes

$$\tilde{\omega}^2 - k^{-1} \left(\frac{\partial^2 v_o}{\partial x^2} + \frac{\partial \ln v_o}{\partial x} \frac{\partial v_o}{\partial x} \right) \tilde{\omega} - g \frac{\partial \ln v_o}{\partial x} = 0 \quad (16)$$

where $\frac{\partial^2 V_o}{\partial x^2}$, $\frac{\partial V_o}{\partial x}$ and $\frac{\partial \ln v_o}{\partial x}$ are defined locally at some point $x = x_o$. Writing $\frac{\partial^2 V_o}{\partial x^2} = \frac{v_o}{v_o}$, $\frac{\partial V_o}{\partial x} = \frac{V_o}{v_o}$ and $\frac{\partial \ln v_o}{\partial x} = \frac{1}{L}$, the solution to Eq. (16) is

$$\hat{\omega} = \frac{1}{2k} (v_0'' + v_0'/L) + \frac{1}{2} [(v_0''/k + v_0'/kL)^2 + 4g/L]^{1/2} (17)$$

In the limit $V_0'' \to 0$ and $V_0' \to 0$, Eq. (11) is recovered. However for V_0' , $V_0 \neq 0$ the velocity shear term is clearly stabilizing. Moreover, the stabilizing influence is k dependent and we expect that as k increases the influence of velocity shear becomes weaker. Qualitatively this result is shown in Fig. 1 (curve C); the most strongly suppressed modes have $kL \cong 1$ and growth increases as kL increases, albeit small. However, owing to the crude approximation made in obtaining Eq. (17), good quantitative agreement cannot be expected.




Figure 1

Plots of the growth rate (γ) vs. kL under various conditions. The profiles used are: $n = n_0 \exp(-x^2/2L^2) + \Delta n$ and $V = V_0 \tanh[(x - x_0)/L]$. (A) Rayleigh-Taylor instability with no velocity shear. Here, $\gamma/(g/L)^{1/2}$ vs. kL is plotted and we have assumed $v_{\rm in}/(g/L)^{1/2} = 0.5$ and $\Delta n/n_0 = 0.01$. (B) Kelvin-Helmholtz instability with no density gradient, collisions and gravity. Here, $\gamma/(V_0/L)$ vs. kL is plotted. (C) Generalized Rayleigh-Taylor instability including velocity shear. Here $\gamma/(g/L)^{1/2}$ vs. kL is plotted. We have assumed $v_{\rm in}/(g/L)^{1/2} = 0.5$, $v_0/(g/L)^{1/2} = 1.0$, $\Delta n/n_0 = 0.01$ and $x_0/L = -2.0$.

IV. Discussion

We have investigated the influence of velocity shear on the Rayleigh-Taylor instability. Our analysis includes gravity, density and velocity inhomogeneities and ion-neutral collisions. In general, the Rayleigh-Taylor instability is most unstable in the regime kL > 1 where L characterises the inhomogeneity scale length. On the other hand, the Kelvin-Helmholtz instability, driven by a sheared transverse velocity flow, is unstable for kL < 1. In the presence of a sufficiently strong velocity shear, the short wavelength spectrum (kL > 1) of the Rayleigh-Taylor instability is strongly suppressed and a maximum in growth occurs for kL < 1. Thus, velocity shear may cause a long wavelength mode to be preferentially excited; whereas in the absence of velocity shear the dominant wave mode usually has a shorter wavelength determined by initial conditions or nonlinear processes. We now discuss two possible applications of this theory to ionospheric phenomena: equatorial spread F and ionospheric plasma cloud striations.

It is believed that the Ravleigh-Taylor instability can play a major role in the onset of equatorial spread F (see for example Ossakow, 1979; Fejer and Kelley, 1980). After sunset, the density gradient on the bottomside of the F layer steepens which initiates the Rayleigh-Taylor instability. However, there are also observations of (1) velocity shears existing in the F region during spread F (Kudeki et al., 1981; Tsunoda et al., 1981) and (2) long wavelength (i.e., several hundred kis) oscillations on the bottomside of the F layer (Tsunoda and White, 1981; Kelley et al., 1981). From our theory we expect velocity shear to preferentially excite the Rayleigh-Taylor instability at kL = 0.7. If we take L = 25 km for the bottomside of the F layer then the most unstable wavelength occurs at $\lambda \sim 250$ km which is comparable with observations (λ_{obs} ~ 600 km Kelley et al., 1981; $\lambda_{obs} \sim 400 \text{ km}$ Tsunoda and White, 1981; $\lambda_{obs} \sim \text{tens to a few}$ hundred kms, Tsunoda, 1981b). Also, the magnitude of the velocity shear necessary for this is $V_0/L = 2 \times 10^{-2} \text{ Hz}$ which is somewhat larger than, although comparable with, observational values (Kudeki et al., 1981) which are $V_0/L \sim 2 \times 10^{-3}$ Hz. Thus, the influence of velocity shear on the Rayleigh-Taylor instability may explain the long wavelength

oscillations of the hottomside of the F layer. We mention that gravity waves have also been proposed as a mechanism to generate these oscillations (Kelley et al., 1981).

Several aspects of the theory need further comment concerning this application to equatorial spread F. First, the velocity shear profile used in the calculation is based on observational data and not on a selfconsistent equilibrium model. An equilibrium which provides the observed shear flows is beyond the scope of this paper. One possible mechanism to generate the velocity shear is via a neutral wind in the equatorial F region when the F layer is electrically coupled to a background E layer away from the equatorial region (Zalesak et al., 1981). It is interesting to note that when such a coupling occurs, the plume strtuctures are tilted away from the vertical (Zalesak et al., 1981). Thus, the tilt of the plumes can be regarded as a measure of the coupling between the F and F regions, and therefore, as a measure of sheared velocity flows in the F region. Observationally, the largest amplitude, long wavelength oscillations occur when the plumes are strongly tilted (Kelley et al., 1981). This suggests that sheared velocity flows may play a role in their development. Second, the relative positions of the density and velocity profiles play a crucial part in the "interaction" of the velocity shear and the Rayleigh-Taylor instability. The strongest effect of shear occurs when the velocity shear is a maximum in the localization region of the Rayleigh-Taylor mode. Finally, collisions can destroy the local maximization of the growth rate in the long wavelength regime if they are sufficiently strong. This indicates that velocity shear will be more important at high altitudes (> 400 km) in affecting the Rayleigh-Taylor instability.

Artificial plasma clouds (e.g., barium releases) in the ionosphere are subject to a complex and dynamic evolution. One of the more notable characteristics is the striating of the clouds, i.e., "Tangers" forming, on one side of the cloud (Rosenberg, 1971; Davis et al., 1974). In many cases these striations can be explained by the E x B gradient drift instability (Linson and Workman, 1970; Zabusky et al., 1973; Scannapieco et al., 1976). However, recent shaped charge releases develop striations very rapidly (Simons et al., 1980; Wescott et al., 1980) and these

initial striations cannot be explained by the E x B drift instability because of its relatively slow growth rate. Simons et al. (1980) have proposed a kinetic instability driven by an ion ring distribution to explain the prompt striations in the Buaro release. However, it is unclear that a kinetic instability can produce the large density perturbations necessary to explain the structuring of the cloud. An alternative mechanism has been proposed by Pillip (1971) and Fedder (1980) which is based upon an interchange instability; this instability is similar to the Rayleigh-Taylor instability, but relies upon the deceleration of the cloud (Scholer, 1970) rather than gravitational acceleration. An inhomogeneous electric field can exist at the edges of the cloud due to polarization charges which produce a sheared transverse velocity flow (Sydora et al., 1981). Thus, our theory can be applied to the structuring of barium releases which are injected across the magnetic field. If the boundary layer is several hundred meters thick (L ~ 100 -300 m) then from kL \simeq 0.7 we obtain wavelengths $\lambda \sim 1-3$ km which are consistent with observations. Moreover such a layer thickness yields substantial growth rates according to Fedder's model ($\gamma \sim 10 \text{ sec}^{-1}$). This final example is largely suggestive at this time, yet is sufficiently encouraging that further investigation is warranted.

In conclusion, we have shown that a sheared transverse velocity flow can have a pronounced effect on the Rayleigh-Taylor instability. For a sufficiently strong velocity shear, the short wavelength spectrum of the instability is suppressed and growth maximizes at kL < 1.0 where L is the scale length of the inhomogeneity. This result may explain the long wavelength oscillations of the bottomside of the F layer during equatorial spread F and the prompt structuring of injected barium clouds. We emphasize that this is a preliminary report and that a more detailed analysis (i.e., parameteric variations) will be presented in a future paper.

Acknowledgments

We thank P. Chaturvedi for helpful discussions during the initial phase of this research and M. Schoeberl for pointing out the work of Drazin to us. This research has been supported by the Defense Nuclear Agency and the Office of Naval Research.

References

- Chandresekhar, S., <u>Hydrodynamic and Hydromagnetic Stabilility</u> (Int. Ser. Monographs on Physics, Clarendon Press, Oxford, 1961) p. 494.
- Davis, T.N., G.J. Romick, E.M. Wesnott, R.A. Jeffries, D.M. Kerr, and K.M. Peek, Observations of the development of striations in large barium clouds, <u>Planet. Space Sci.</u>, 22, 67, 1974.
- Drazin, P.G., The stability of a shear layer in an unbounded heterogeneous inviscid fluid, J. Fluid Mech., 4, 214, 1958.
- Fedder, J.A., Structuring of collisionless, high velocity ion clouds, Memo Rept. 4307, Nav. Res. Lab., Washington, D.G., September, 1980.
- Fejer, R.G.. amd M.C. Kelley, Tonospheric irregularities, Rev. Geophys. Space Phys., 18, 401, 1980.
- Haerendel, G. Theory of equatorial spread F, Preprint, Max-Planck Institute for Physik und Astrophysik, Garching, West Germany, 1974.
- 'udson, M.K., and C.F. Kennel, Linear theory of equatorial spread F, J. Geophys. Res., 80, 4581, 1975.
- Kelley, M.C., M.F. Larsen, C. La Hoz, and J.P. McClure, Gravity wave initiation of equatorial spread F: A case study, <u>J. Geophys. Res.</u> (in press 1981).
- Kudeki, E., B.G. Fejer, D.R. Fariey, and H.M. Ierkic, Interferometer studies of equatorial F region irregularities and drifts, <u>Geophys.</u>
 Res. Lett., 8, 377, 1981.
- Linson, L.M., and J.B. Workman, Formation of striations in ionospheric plasma clouds, J. Geophys. Res., 75, 3211, 1970.
- Michalke, A., On the inviscid instability of the hyperholic-tangent velocity profile, J. Fluid Mech., 19, 543, 1964.
- Mikhailovskii, A.B., Theory of Plasma Instabilities: Vol. IT, Consultants Bureau, New York, 1974, p. 141.
- Ossakow, S.L. Ionospheric irregularities, <u>Rev. Geophys. Space Phys.</u>, <u>17</u>, 521, 1979.
- Pillip, W., Expansion of an ion cloud in the earth's magnetic field, Planet. Space Sci., 19, 1095, 1971.
- Rosenberg, N.W., Observations of striation formation in a barium ion cloud, J. Geophys. Res., 76, 6856, 1971.

- Scannapieco, A.J., S.L. Ossakow, S.R. Goldman, and J.M. Pierre, Plasma cloud late time striation spectra, J. Geophys. Res., 81, 6037, 1976.
- Scholer, M., On the motion of artificial ion clouds in the magnetosphere, Planet. Space Sci., 18, 977, 1970.
- Simons, D.J., M.B. Pongratz, and S.P. Gary, Prompt striations in ionospheric barium clouds due to a velocity space instability, <u>J. Geophys. Res.</u>, 85, 671, 1980.
- Sydora, R., J.S. Wagner, L.C. Lee, E.M. Wescott and T. Tajima, Electrostatic Kelvin-Helmholtz instability in a radially injected barium cloud, to be published in Phys. Fluids, 1981.
- Tsunoda, R.T., Time evolution and dynamics of equatorial backscatter plumes, 1. Growth phase, <u>J. Geophys. Res.</u>, <u>86</u>, 139, 1981a.
- Tsunoda, R.T., ALTAIR radar study of equatorial spread F, SRI International Final Report, DNA 5689F, February, 1981b.
- Tsunoda, R.T., R.C. Livingston, and C.L. Rino, Evidence of a velocity shear in bulk plasma motion associated with the post-sunset rise of the equatorial F-layer, Geophys. Res. Lett., 8, 807, 1981.
- Tsunoda, R.T., and B.R. White, On the generation and growth of equatorial backscatter plumes-1. Wave structure in the bottomside F layer, <u>J.</u>
 <u>Geophys. Res., 86</u>, 3610, 1981.
- Wescott, E.M., H.C. Stenback-Nielsen, T.J. Hallinan, C.S. Deehr, G.J. Romick, J.V. Olsen, J.G. Roederer, and R. Sydora, A high-altitude barium radial injection experiment, <u>Geophys. Res. Lett.</u>, 7, 1037, 1980.
- Zabusky, N.J., J.H. Doles III, and F.W. Perkins, Deformation and striation of plasma clouds in the ionosphere, 2. Numerical simulation of a non-linear two-dimensional model, <u>J. Geophys. Res.</u>, <u>78</u>, 711, 1973.
- Zalesak, S.T., S.I. Ossakow, and P.K. Charturvedi, Nonlinear equatorial spread F: The effect of neutral winds and background Pedersen conductivity, J. Geophys. Res. (accepted for publication, 1981).

DISTRIBUTION LIST

DEPARTMENT OF DEFENSE

ASSISTANT SECRETARY OF DEFENSE COMM. CMD, CONT 7 INTELL WASHINGTON, D.C. 20301 OICY ATTN J. BABCOCK OICY ATN M. EPSTEIN

DIRECTOR COMMAND CONTROL TECHNICAL CENTER PENTAGON RM BE 685 WASHINGTON, D.C. 20301 01CY ATTN C-650 OICY ATTN C-312 R. MASON

DIRECTOR DEFENSE ADVANCED RSCH PROJ AGENCY ARCHITECT BUILDING 1400 WILSON BLVD. ARLINGTON, VA. 22209 OLCY ATTN NUCLEAR MONITORING RESEARCH JOINT CHIEFS OF STAFF

DEFENSE COMMUNICATION ENGINEER CENTER 1860 WIEHLE AVENUE **RESTON, VA. 22090** O1CY ATTN CODE R820 O1CY ATTN CODE R410 JAMES W. MCLEAN OMAHA, NB 68113

Olcy ATTN STRATEGIC TECH OFFICE

DIRECTOR DEFENSE COMMUNICATIONS AGENCY WASHINGTON, D.C. 20305 (ADR CNWDI: ATTN CODE 240 FOR) DEPARTMENT OF DEFENSE OICY ATTN CODE 101B

DEFENSE TECHNICAL INFORMATION CENTER CAMERON STATION ALEXANDRIA, VA. 22314 (12 COPIES IF OPEN PUBLICATION, OTHERWISE 2 COPIES) 12CY ATTN TC

DIRECTOR DEFENSE INTELLIGENCE AGENCY WASHINGTON, D.C. 20301 OICY ATTN DT-1B Olcy ATTN DB-4C E. O'FARRELL Olcy ATTN DIAAP A. WISE Olcy ATTN DIAST-5 O1CY ATTN DT-1BZ R. MORTON
O1CY ATTN HO-TR J. STEWART
O1CY ATTN W. WITTIG DC-7D

NATO SCHOOL (SHAPE)
APO NEW YORK 09172
O1CY ATTN U.S. DC

DIRECTOR DEFENSE NUCLEAR AGENCY WASHINGTON, D.C. 20305 OICY ATTN STVL O4CY ATTN TITL OICY ATTN DDST 03CY ATTN RAAE

> COMMANDER FIELD COMMAND DEFENSE NUCLEAR AGENCY KIRTLAND, AFB, NM 87115 01CY ATTN FCPR

> > DIRECTOR INTERSERVICE NUCLEAR WEAPONS SCHOOL KIRTLAND AFR, NM 87115 OICY ATTN DOCUMENT CONTROL

WASHINGTON, D.C. 20301 Olcy attn J-3 wwmccs evaluation DIRECTOR

JOINT STRAT TGT PLANNING STAFF OFFUTT AFB O1CY ATTN CODE R720 J. WORTHINGTON O1CY ATTN JLTW-2 OICY ATTN JPST G. GOETZ

> CHIEF LIVERMORE DIVISION FLD COMMAND DNA LAWRENCE LIVERMORE LABORATORY P.O. BOX 808 LIVERMORE, CA 94550 OICY ATTN FCPRL

DIRECTOR NATIONAL SECURITY AGENCY DEPARTMENT OF DEFENSE FT. GEORGE G. MEADE, MD 20755 OICY ATTN JOHN SKILLMAN R52 OICY ATTN FRNK LEONARD Olcy ATTN W14 PAT CLARK Olcy ATTN OLIVER H. BARTLETT W32 OLCY ATTN R5

COMMANDANT OICY ATTN U.S. DOCUMENTS OFFICER

UNDER SECY OF DEF FOR RSCH & ENGRG DEPARTMENT OF DEFENSE DEPARTMENT OF DEFENSE

WASHINGTON, D.C. 20301

T. HUACHUCA, AZ 85613

OICY ATTN STRATEGIC & SPACE SYSTEMS OICY ATTN CCC-EMEO GEORGE LANE (08)

WWMCCS SYSTEM ENGINEERING ORG WASHINGTON, D.C. 20305 OICY ATTN R. CRAWFORD

COMMANDER/DIRECTOR ATMOSPHERIC SCIENCES LABORATORY U.S. ARMY ELECTRONICS COMMAND WHITE SANDS MISSILE RANGE, NM 88002 COMMANDER

DIRECTOR BMD ADVANCED TECH CTR HUNTSVILLE OFFICE P.O. BOX 1500 HUNTSVILLE, AL 35807

OICY ATTN ATC-T MELVIN T. CAPPS 7500 BACKLICK ROAD 01CY ATTN ATC-0 W. DAVIES BLDG 2073 01CY ATTN ATC-R DON RUSS SPRINGFIELD, VA 22150

PROGRAM MANAGER BMD PROGRAM OFFICE

CHIEF C-E- SERVICES DIVISION U.S. ARMY COMMUNICATIONS CMD PENTAGON RM 1B269 WASHINGTON, D.C. 20310 Olcy ATTN C- E-SERVICES DIVISION

COMMANDER FRADCOM TECHNICAL SUPPORT ACTIVITY REDSTONE ARSENAL, AL 35809 DEPARTMENT OF THE ARMY FORT MONMOUTH, N.J. 07703 O1CY ATTN DRSEL-NL-RD H. BENNET DIRECTOR

COMMANDER HARRY DIAMOND LABORATORIES DEPARTMENT OF THE ARMY 2800 POWDER MILL ROAD

ADELPHI, MD 20783

Olcy ATTN J.E. QUIGLEY

OICY ATTN DELHD-TI M. WEINER OICY ATTN DELHD-RB R. WILLIAMS

Olcy ATTN DELUD-NP F. WIMENITZ OICY ATTN DELHD-NP C. MOAZED

COMMANDER U.S. ARMY COMM-ELEC ENGRG INSTAL AGY

COMMANDER U.S. ARMY FOREIGN SCIENCE & TECH CTR 220 7TH STREET, NE CHARLOTTESVILLE, VA 22901

OICY ATTN DRXST-SD OICY ATTN R. JONES

Olcy Attn Delas-fo f. Niles U.S. Army Material Dev & Readiness Chd 5001 EISENHOWER AVENUE ALEXANDRIA, VA 22333 OICY ATTN DRCLDC J.A. BENDER

> COMMANDER U.S. ARMY NUCLEAR AND CHEMICAL AGENCY Olcy ATTN LIBRARY

DIRECTOR 5001 EISENHOWER AVENUE

ALEXANDRIA, VA 22333

O1CY ATTN DACS-BMT J. SHEA

U.S. ARMY BALLISTIC RESEARCH LABORATORY
ABERDEEN PROVING GROUND, MD 21005
O1CY ATTN TECH LIBRARY EDWARD BAICY

> COMMANDER U.S. ARMY SATCOM AGENCY FT. MONMOUTH, NJ 07703 OICY ATTN DOCUMENT CONTROL

COMMANDER U.S. ARMY MISSILE INTELLIGENCE AGENCY OICY ATTN JIM GAMBLE

OICY ATTN DRSEL-PL-ENV H. BOMKE U.S. ARMY TRADOC SYSTEMS ANALYSIS ACTIVITY WHITE SANDS MISSILE RANGE, NM 88002 OICY ATTN ATAA-SA OICY ATTN TCC/F. PAYAN JR. OLCY ATTN ATTA-TAC LTC J. HESSE

NAVAL ELECTRONIC SYSTEMS COMMAND (CNWDI-INNER ENVELOPE: ATTN: DELHD-RBH) WASHINGTON, D.C. 20360 Olcy ATTN NAVALEX 034 T. GHES Olcy ATTN PME 117 Olcy ATTN PME 117-T

OLCY ATTN CODE 5011

COMMANDER

NAVAL INTELLIGENCE SUPPORT CTR
4301 SUITLAND ROAD, BLDG. 5
WASHINGTON, D.C. 20390
OICY ATTN MR. DUBBIN STIC 12
OICY ATTN CODE DF-14 R. I OLCY ATTN MISC-50 OICY ATTN CODE 5404 J. GALET

COMMANDER NAVAL OCCEAN SYSTEMS CENTER SAN DIEGO, CA 92152 OSCY ATTN CODE 532 W. MOLER
OLCY ATTN CODE 0230 C. RAGGETT

OICY ATTN CODE 81 R. EASTMAN

DIRECTOR NAVAL RESEARCH LABORATORY WASHINGTON, D.C. 20375 OICY ATTN CODE 4700 TIMOTHY P. COFFEY OICY ATTN DC MR. LONG 26 CYS IF UNCLASS. 1 CY IF CLASS) OICY ATTN CODE 4701 JACK D. BROWN OICY ATTN CODE 4780 BRANCH HEAD (150 AEROSPACE DEFENSE COMMAND/XPD CYS IF UNCLASS, 1 CY IF CLASS) DEPARTMENT OF THE AIR FORCE OLCY ATTN CODE 7500 OICY ATTN CODE 7550 OICY ATTN CODE 7580 OICY ATTN CODE 7551 OICY ATTN CODE 7555 OICY ATTN CODE 4730 E. MCLEAN HANSCOM AFR, MA 01731 OICY ATTN CODE 4187

COMMANDER NAVAL SEA SYSTEMS COMMAND WASHINGTON, D.C. 20362 OICY ATTN CAPT R. PITKIN

NAVAL SPACE SURVEILLANCE SYSTEM
DAHLGREN, VA 22448
OLGU ATT. NM 87117 OICY ATTN CAPT J.H. BURTON

OFFICER-IN-CHARGE NAVAL SURFACE WEAPONS CENTER
WHITE OAK, SILVER SPRING, MD 20910
PATRICK AFB, FL 32925 OICY ATTN CODE F31

DIRECTOR STRATEGIC SYSTEMS PROJECT OFFICE DEPARTMENT OF THE NAVY
WASHINGTON, D.C. 20376 OICY ATTN NSP-2141 OICY ATTN NSSP-2722 FRED WIMBERLY

COMMANDER OICY ATTN CODE DF-14 R. BUTLER

OFFICER OF NAVAL RESEARCH ARLINGTON, VA 22217 OICY ATTN CODE 465 OICY ATTN CODE 461 Olcy ATTN CODE 402 Olcy ATTN CODE 420 Olcy ATTN CODE 421

COMMANDER

AEROSPACE DEFENSE COMMAND/DC DEPARTMENT OF THE AIR FORCE ENT AFB, CO 80912

COMMANDER ENT AFR, CO 80912 OICY ATTN XPDOO OICY ATTN XP

AIR FORCE GEOPHYSICS LABORATORY OICY ATTN OPR HAROLD GARDNER Olcy ATTN LKB KENNETH S.W. CHAMPION
Olcy ATTN OPR ALVA T. STAIR
Olcy ATTN PHP JULES AARONS
Olcy ATTN PHD JURGEN BUCHAU
Olcy ATTN PHD JOHN P. MULLEN

> OICY ATTN CA ARTHUR H. GUENTHER OICY ATTN NTYCE ILT. G. KRAJEI

OICY ATTN TF/MAJ WILEY OICY ATTN TN

AIR FORCE AVIONICS LABORATORY WRIGHT-PATTERSON AFB, OH 45433 OLCY ATTN AAD WADE HUNT OLCY ATTN AAD ALLEN JOHNSON DEPUTY CHIEF OF STAFF RESEARCH, DEVELOPMENT, & ACQ NORTON AFB, CA 92409
DEPARTMENT OF THE AIR FORCE (MINUTEMAN) WASHINGTON, D.C. 20330 OICY ATTN AFRDO

HEADOUATERS ELECTRONIC SYSTEMS DIVISION/XR HANSCOM AFR, MA 01731 DEPARTMENT OF THE AIR FORCE 01CY ATTN EEP A. LO HANSCOM AFR, MA 01731 OICY ATTN XR J. DEAS

HEADOUATERS ELECTRONIC SYSTEMS DIVISION/YSEA DEPARTMENT OF THE AIR FORCE HANSCOM AFB, MA 01732 OICY ATTN YSBA

HEADOUATERS ELECTRONIC SYSTEMS DIVISION/DC DEPARTMENT OF THE AIR FORCE HANSCOM AFB, MA 01731 OICY ATTN DCKC MAJ J.C. CLARK LOS ALAMOS DIVISION

COMMANDER FOREIGN TECHNOLOGY DIVISION, AFSC WRIGHT-PATTERSON AFB, OH 45433 OICY ATTN NICD LIBRARY OICY ATTN ETDP B. BALLARD

COMMANDER

SAMSO/SZ POST OFFICE BOX 92960 WORLDWAY POSTAL CENTER LOS ANGELES, CA 90009

OICY ATTN NRT OICY ATTN DOK CHIEF SCIENTIST

SAMSO/SK P.O. BOX 92960 WORLDWAY POSTAL CENTER LOS ANGELES, CA 90009 M. CLAVIN

SAMSO/MN OICY ATTN MNNL LTC KENNEDY

COMMANDER ROME AIR DEVELOPMENT CENTER, AFSC

OICY ATTN EEP A. LORENTZEN

DEPARTMENT OF ENERGY LIBRARY ROOM G-042 WASHINGTON, D.C. 20545 OICY ATTN DOC CON FOR A. LABOWITZ

DEPARTMENT OF ENERGY ALBUQUERQUE OPERATIONS OFFICE P.O. BOX 5400 ALBUQUERQUE, NM 87115 OICY ATTN DOC CON FOR D. SHERWOOD

EG&G, INC. P.O. BOX 809 LOS ALAMOS, NM 85544 OICY ATTN DOC CON FOR J. BREEDLOVE

UNIVERSITY OF CALIFORNIA

SANDIA LABORATORIES

LAWRENCE LIVERMORE LABORATORY P.O. BOX 808 LIVERMORE, CA 94550 ROME AIR DEVELOPMENT CENTER, AFSC

GRIFFISS AFB, NY 13441

O1CY ATTN DOC CON FOR L-389 R. OTT

O1CY ATTN DOC LIBRARY/TSLD

O1CY ATTN DOC CON FOR L-31 R. HAGER

O1CY ATTN DOC CON FOR L-46 F. SEWARD

LOS ALAMOS ECIENTIFIC LABORATORY
DEST OFFICE BOX 92960
P.O. BOX 1663
DELDWAY POSTAL CENTER
DES ANGELES, CA 90009
(SPACE DEFENSE SYSTEMS)
OLCY ATTN DOC CON FOR R.F. TASCHEK
OLCY ATTN DOC CON FOR E. JONES
CLOY ATTN DOC CON FOR E. JONES GICY ATTN DOC CON FOR J. MALIK STRATEGIC AIR COMMAND/XPFS

OFFUTT AFB, NB 68113

O1CY ATTN DOC CON FOR R. JEFFRIES

O1CY ATTN DOC CON FOR J. ZINN

O1CY ATTN XPFS MAJ B. STEPHAN

O1CY ATTN DOC CON FOR P. KEATON OLCY ATTN ADWATE MAJ BRUCE BAUER OLCY ATTN DOC CON FOR D. WESTERVELT

P.O. BOX 5800 ALBUQUEROUE, NM 87115 OICY ATTN DOC CON FOR W. BROWN OLCY ATTN DOC CON FOR A. THORNBROUGH OLCY ATTN DOC CON FOR T. WRIGHT OICY ATTN SKA (SPACE COMM SYSTEMS) OICY ATTN DOC CON FOR D. DARLGREN OICY ATTN DOC CON FOR 3141 OLCY ATTN DOC CON FOR SPACE PROJECT DIV

SANDIA LABORATORIES LIVERMORE LABORATORY P.O. BOX 969 LIVERMORE, CA C4550 OICY ATTN DC : CON FOR B. MURPHEY

OICY ATTN F G CON FOR T. COOK

OFFICE OF MILITARY APPLICATION DEPARTMENT OF ENERGY WASHINGTON, D.C. 20545 OICY ATTN DOC CON DR. TO SONG

OTHER GOVERNMENT

CENTRAL INTELLIGENCE AGENCY ATTN RD/SI, RM 5G48, HQ BLDG Olcy ATTN OSI/PSID RM 5F 19

HUNTSVILLE, AL 35807 WASHINGTON, D.C. 20505

DEPARTMENT OF COMMERCE NATIONAL BUREAU OF STANDARDS WASHINGTON, D.C. 20234 (ALL CORRES: ATTN SEC OFFICER FOR) OICY AITH R. MOORE

NATIONAL TELECOMMUNICATIONS & INFO ADMIN OLCY ATTN D.B. COX BOULDER, CO 80303 CICY ATTN A. JEAN (UNCLASS ONLY)

O1CY ATTN W. UTLAUT O1CY ATTN D. CROMBIE OICY ATTN L. ERRY

NATIONAL OCEANIC & ATMOSPHERIC ADMIN ENVIRONMENTAL RESEARCH LABORATORIES DEPARTMENT OF COMMERCE BOULDER, CO 80302 OICY ATTN R. GRUBB Olcy ATTN AERONOMY LAB G. REID

DEPARTMENT OF DEFENSE CONTRACTORS

AEROSPACE CORPORATION P.O. BOX 92957 LOS ANGELES, CA 90009 Olcy ATTN I. GARFUNKEL OICY ATTN T. SALMI Olcy ATTN V. JOSEPHSON OICY ATTN S. BOWER OICY ATTN N. STOCKVELL OICY ATTN D. OLSEN

ANALYTICAL SYSTEMS ENGINEERING CORP 5 OLD CONCORD ROAD BURLINGTON, MA 01803 OICY ATTN RADIO SCIENCES

BERKELEY RESEARCH ASSOCIATES, INC. P.O. BOX 933 BERKELEY, CA 94701 OICY ATT'N J. WORKMAN OICY ATTN C. PRETTIE

BOEING COMPANY, THE P.O. BOX 3707 SEATTLE, WA 98124 Olcy attn G. Keister OICY ATTN D. MURRAY OICY ATTN G. HALL OICY ATTN J. KENNEY

BROWN ENGINEERING COMPANY, INC. CUMMINGS RESEARCH PARK Olcy ATTN ROMEO A. DELIBERIS

> CALIFORNIA AT SAN DIEGO, UNIV OF P.O. BOX 6049 SAN DIEGO, CA 92106

CHARLES STARK DRAPER LABORATORY, INC. INSTITUTE FOR TELECOM SCIENCES

555 TECHNOLOGY SQUARE
CAMBRIDGE, MA 02139 Olcy ATTN J.P. GILMORE

> COMSAT LABORATORIES LINTHICUM ROAD CLARKSBURG, MD 20734 OICY ATTN G. HYDE

CORNELL UNIVERSITY DEPARTMENT OF ELECTRICAL ENGINEERING ITHACA, NY 14850 OICY ATTN D.T. FARLEY, JR.

ELECTROSPACE SYSTEMS, INC. BOX 1359 RICHARDSON, TX 75080 Olcy ATTN H. LOGSTON OICY ATTN SECURITY (PAUL PRILLIPS)

ESL, INC. 495 JAVA DRIVE SIINNYVALE, CA 94086 OICY ATTN J. ROBERTS OICY ATTN JAMES MARSHALL GENERAL ELECTRIC COMPANY SPACE DIVISION VALLEY FORGE SPACE CENTER GODDARD BLVD KING OF PRUSSIA P.O. BOX 8555 PHILADELPHIA, PA 19101 OLCY ATTN M.H. BORTNER SPACE SCI LAB OLCY ATTN JOEL BENGSTON

GENERAL ELECTRIC COMPANY P.O. BOX 1122 SYRACUSE, NY 13201 OICY ATTN F. REIBERT

GENERAL ELECTRIC TECH SERVICES CO., INC. JAYCOR COURT STREET SYRACUSE, NY 13201 OICY ATTN G. MILLMAN

GENERAL RESEARCH CORPORATION SANTA BARBARA DIVISION P.O. BOX 6770 SANTA BARBARA, CA 93111 Olcy ATTN JOHN ISE, JR. OICY ATTN JOEL GARBARINO

GEOPHYSICAL INSTITUTE UNIVERSITY OF ALASKA FAIRBANKS, AK 99701 (ALL CLASS ATTN: SECURITY OFFICER) COLORADO SPRINGS, CO 80933 Olcy ATTN T.N. DAVIS (UNCLASS ONLY) Olcy ATTN T. MEAGHER OICY ATTN TECHNICAL LIBRARY Olcy Attn neal brown (unclass only) KAMAN TEMPO-CENTER FOR ADVANCED STUDIES

GTE SYLVANIA, INC. ELECTRONICS SYSTEMS GRP-EASTERN DIV 77 A STREET NEEDHAM, MA 02194 OLCY ATTN MARSHALL CROSS

HSS, INC. 2 ALFRED CIRCLE BEDFORD, MA 01730 OLCY ATTN DONALD HANSEN

ILLINOIS, UNIVERSITY OF 107 COBLE HALL 150 DAVENPORT HOUSE CHAMPAIGN, IL 61820 (ALL CORPES ATTN DAN MCCLELLAND) OICY ATTN K. YEH

INSTITUTE FOR DEFENSE ANALYJES 400 ARMY-NAVY DRIVE ARLINGTON, VA 22202 OICY ATTN J.M. AEIN OICY ATTN ERNEST BAUER OICY ATTN HANS WOLFARD

INTL TEL & TELEGRAPH CORPORATION 500 WASHINGTON AVENUE NUTLEY, NJ 07110 OICY ATTN TECHNICAL LIBRARY

11011 TORREYANA ROAD P.O. BOX 85154 SAN DIEGO, CA 92138 Olcy ATTN J.L. SPERLING

JOHNS HOPKINS UNIVERSITY APPLIED PHYSICS LABORATORY JOHNS HOPKINS ROAD JOHNS HOPKINS ROAD LAURAL, MD 20810 OICY ATTN DOCUMENT LIBRARIAN OICY ATTN THOMAS POTEMRA OICY ATTN JOHN DASSOULAS

> KAMAN SCIENCES CORP P.O. BOX 7463

816 STATE STREET (P.O DRAWER OQ) SANTA BARBARA, CA 93102 OLCY ATTN DASTAC OLCY ATTN TIM STEPHANS Olcy ATTN WARREN S. KNAPP Olcy ATTN WILLIAM MCNAMARA

LINKABIT CORP 10453 ROSELLE SAN DIEGO, CA 92121 OLCY ATTN IRWIN JACOBS

OICY ATTN B. GAMBILL

LOCKHEED MISSILES & SPACE CO., INC P.O. BOX 504 SUNNYVALE, CA 94088 OICY ATTN DEPT 60-12 OICY ATTN D.R. CHURCHILL

LOCKHEED MISSILES & SPACE CO., INC. 3251 HANOVER STREET PALO ALTO, CA 94304

Olcy ATTN MARTIN WALT DEPT 52-12 OLCY ATTN JOHN MORGANSTERN OLCY ATTN W.L. IMHOF DEPT 52-12 OLCY ATTN G. HARDING

Olcy ATTN RICHARD G. JOHNSON DEPT 52-12 Olcy ATTN C.E. CALLAHAN

OLCY ATTN J.B. CLADIS DEPT 52-12

LOCKHEED MISSILE & SPACE CO., INC. HUNTSVILLE RESEARCH & ENGR. CTR. 4800 BRADFORD DRIVE HUNTSVILLE, AL 35807 ATTN DALE H. DIVIS

MARTIN MARIETTA CORP ORLANDO DIVISION P.O. BOX 5837 ORLANDO, FL 32805 OICY ATTN R. HEFFNER

M.I.T. LINCOLN LABORATORY P.O. BOX 73 LEXINGTON, MA 02173 OICY ATTN DAVID M. TOWLE OICY ATTN P. WALDRON

OICY ATTN L. LOUGHLIN

OICY ATTN D. CLARK

MCDONNEL DOUGLAS CORPORATION 5301 BOLSA AVENUE HUNTINGTON BEACH, CA 92647 OICY ATTN N. HARRIS

OICY ATTN J. MOULE

O1CY ATTN GEORGE MROZ

OICY ATTN W. OLSON

OICY ATTN R.W. HALPRIN

OICY ATTN TECHNICAL LIBRARY SERVICES PHYSICAL DYNAMICS, INC.

MISSION RESEARCH CORPORATION 735 STATE STREET

SANTA BARBARA, CA 93101

Olcy ATTN P. FISCHER Olcy ATTN W.F. CREVIER

OICY ATTN STEVEN L. GUTSCHE

OICY ATTN D. SAPPENFIELD

OICY ATTN R. BOGUSCH

OICY ATTN R. HENDRICK

OICY ATTN RALPH KILB

OICY ATTN DAVE SOWLE

OICY ATTN F. FAJEN

Olcy Attn F. Fajen
Olcy Attn M. Scheibe
Olcy Attn Conrad L. Longmire

OICY ATTN WARREN A. SCHLUETER

MITRE CORPORATION, THE

P.O. BOX 208

BEDFORD, MA 01730

MITRE CORP

WESTGATE RESEARCH PARK 1820 DOLLY MADISON BLVD

MCLEAN, VA 22101

OICY ATTN W. HALL

OICY ATTN W. FOSTER

PACIFIC-SIERRA RESEARCH CORP 1456 CLOVERFIELD BLVD. SANTA MONICA, CA 90404 OICY ATTN E.C. FIELD, JR.

PENNSYLVANIA STATE UNIVERSITY IONOSPHERE RESEARCH LAB 318 ELECTRICAL ENGINEERING EAST UNIVERSITY PARK, PA 16802 (NO CLASS TO THIS ADDRESS) OICY ATTN IONOSPHERIC RESEARCH LAB

PHOTOMETRICS, INC. **442 MARRETT ROAD** LEXINGTON, MA 02173 OICY ATTN IRVING L. KOFSKY

PHYSICAL DYNAMICS, INC. P.O. BOX 3027 BELLEVUE, WA 98009 OICY ATTN E.J. FREMOUW

P.O. BOX 10367 OAKLAND, CA 94610 ATTN A. THOMSON

R & D ASSOCIATES P.O. BOX 9695

MARINA DEL REY, CA 90291

Olcy Attn Forrest Glerond
Olcy Attn Bryan Garbard
Olcy Attn William B. Wright, Jr.
Olcy Attn Robert F. Lelevier
Olcy Attn William J. Karzas
Olcy Attn H. Ory
Olcy Attn C. Macdonald
Olcy Attn R. Turco Olcy ATTN FORREST GILMORE

RAND CORPORATION, THE 1700 MAIN STREET SANTA MONICA, CA 90406 01CY ATTN CULLEN CRAIN 01CY ATTN ED BEDROZIAN

RAYTHEON CO. 528 BOSTON POST ROAD SUDBURY, MA 01776 01CY ATTN BARBARA ADAMS

RIVERSIDE RESEARCH INSTITUTE 80 WEST END AVENUE NEW YORK, NY 10023 01CY ATTN VINCE TRAPANI

SCIENCE APPLICATIONS, INC.
P.O. BOX 2351
LA JOLLA, CA 92038
O1CY ATTN LEWIS M. LINSON
O1CY ATTN DANIEL A. HAMLIN
O1CY ATTN E. FRIEMAN
O1CY ATTN E.A. STRAKER
O1CY ATTN CURTIS A. SMITH
O1CY ATTN JACK MCDOUGALL

SCIENCE APPLICATIONS, INC 1710 GOODRIDGE DR. MCLEAN, VA 22102 ATTN: J. COCKAYNE

SRI INTERNATIONAL 333 RAVENSWOOD AVENUE MENLO PARK, CA 94025 OICY ATTN DONALD NEILSON OICY ATTN ALAN BURNS OLCY ATTN G. SMITH OLCY ATTN L.L. COBB OICY ATTN DAVID A. JOHNSON OICY ATTN WALTER G. CHESNUT OICY ATTN CHARLES L. RINO OICY ATTN WALTER JAYE OICY ATTN M. BARON OLCY ATTN RAY L. LEADABRAND OICY ATTN G. CARPENTER OICY ATTN G. PRICE OLCY ATTN J. PETERSON OICY ATTN R. HAKE, JR. OICY ATTN V. GONZALES OICY ATTN D. MCDANIEL

STEWART RADIANCE LABORATORY UTAH STATE UNIVERSITY 1 DE ANGELO DRIVE BEDFORD, MA 01730 01CY ATTN J. ULWICK

TECHNOLOGY INTERNATIONAL CORP
75 WIGGINS AVENUE
BEDFORD, MA 01730
01CY ATTH W.P. BOQUIST

TRW DEFENSE & SPACE SYS GROUP ONE SPACE PARK REDONDO BEACH, CA 90278 OICY ATTN R. K. PLEBUCH OICY ATTN S. ALTSCHULER OICY ATTN D. DEE

VISIDYNE
SOUTH BEDFORD STREET
BURLINGTON, MASS 01803
O1CY ATTN W. REIDY
O1CY ATTN J. CARPENTER
O1CY ATTN C. HUMPHREY

IONOSPHERIC MODELING DISTRIBUTION LIST (UNCLASSIFIED ONLY)

PLEASE DISTRIBUTE ONE COPY TO EACH OF THE FOLLOWING PEOPLE:

NAVAL RESEARCH LABORATORY WASHINGTON, D.C. 20375

DR. P. MANGE - CODE 4101

DR. R. MEIER - CODE 4141

DR. E. SZUSZCZEWICZ - CODE 4187

DR. J. GOODMAN - CODE 4180

Dr. R. RODRIGUEZ - CODE 4187

A.F. GEOPHYSICS LABORATORY

L.G. RANSCOM FIELD

BEDFORD, MA 01730

DR. T. ELKINS

DR. W. SWIDER

MRS. R. SAGALYN

DR. J.M. FORBES

DR. T.J. KENESHEA

DR. J. AARONS

DR. H. CARLSON

DR. J. JASPERSE

CORNELL UNIVERSITY

ITHACA, NY 14850

DR. W.E. SWARTZ

DR. R. SUDAN

DR. D. FARLEY

DR. M. KELLEY

HARVARD UNIVERSITY

HARVARD SOUARE

CAMBRIDGE, MA 02138

DR. M.B. McELROY

DR. R. LINDZEN

INSTITUTE FOR DEFENSE ANALYSIS

400 ARMY/NAVY DRIVE

ARLINGTON, VA 22202

DR. E. BAUER

MASSACHUSETTS INSTITUTE OF TECHNOLOGY

PLASMA FUSION CENTER

LIBRARY, NW16-262

CAMERIDGE, MA 02139

NASA

GODDARD SPACE FLIGHT CENTER

GREENBELT, MD 20771

DR. S. CHANDRA

DR. K. MAEDA

DR. R.F. BENSON

NATIONAL TECHNICAL INFORMATION CENTER

CAMERON STATION

ALEXANDRIA, VA 22314

12CY ATTN TC

COMMANDER

NAVAL AIR SYSTEMS COMMAND

DEPARTMENT OF THE NAVY

WASHINGTON, D.C. 20360

DR. T. CZUBA

COMMANDER

NAVAL OCEAN SYSTEMS CENTER

SAN DIEGO. CA 92152

MR. R. ROSE - CODE 5321

NOAA

DIRECTOR OF SPACE AND ENVIRONMENTAL

LABORATORY

BOULDER, CO 80302

DR. A. GLENN JEAN

DR. G.W. ADAMS

PR. D.N. ANDERSON

DR. K. DAVIES

DR. R. F. DONNELLY

OFFICE OF NAVAL RESEARCH

800 NORTH QUINCY STREET

ARLINGTON, VA 22217

DR. H. MULLANEY

PENNSYLVANIA STATE UNIVERSITY

UNIVERSITY PARK, PA 16802

DR. J.S. NISBET

DR. P.R. ROHRBAUGH

DR. L.A. CARPENTER

DR. M. LEE

DR. R. DIVANY

DR. P. BENNETT

DR. F. KLEVANS

PRINCETON UNIVERSITY

PLASMA PHYSICS LABORATORY

PRINCETON, NJ 08540

DR. F. PERKINS

SCIENCE APPLICATIONS, INC.
1150 PROSPECT PLAZA
LA JOLLA, CA 92037
DR. D.A. HAMLIN
DR. L. LINSON
DR. E. FRIEMAN

STANFORD UNIVERSITY STANFORD, CA 94305 DR. P.M. BANKS

U.S. ARMY ABERDEEN RESEARCH AND DEVELOPMENT CENTER BALLISTIC RESEARCH LABORATORY ABERDEEN, MD DR. J. HEIMERL

UNIVERSITY OF CALIFORNIA, BERKELEY BERKELEY, CA 94720 DR. M. HUDSON

UNIVERSITY OF CALIFORNIA LOS ALAMOS SCIENTIFIC LABORATORY J-10, MS-664 LOS ALAMOS, NM 87545

M. PONGRATZ

D. SIMONS

G. BARASCH

L. DUNCAN

P. BERNHARDT

UNIVERSITY OF CALIFORNIA,
LOS ANGELES
405 HILLGARD AVENUE
LOS ANGELES, CA 90024
DR. F.V. CORONITI
DR. C. KENNEL
DR. A.Y. WONG

UNIVERSITY OF MARYLAND COLLEGE PARK, MD 20740 DR. K. PAPADOPOULOS DR. E. OTT

UNIVERSITY OF PITTSBURGH PITTSBURGH, PA 15213 DR. N. ZABUSKY DR. M. BIONDI

DR. E. OVERMAN

UTAN STATE UNIVERSITY
4TH AND 8TH STREETS
LOGAN, UTAH 84322
DR. R. HARRIS
DR. K. BAKER
DR. R. SCHINK